

MANUAL ON REFERENCE RANGES FOR CLINICAL CHEMISTRY Printable PDF

manual on reference ranges for clinical chemistry

Understanding reference ranges is fundamental for clinicians, laboratory personnel, and researchers involved in clinical chemistry. A comprehensive manual on reference ranges helps ensure accurate interpretation of laboratory results, supports proper diagnosis, and guides effective patient management. This article provides an in-depth overview of reference ranges in clinical chemistry, including their importance, determination, and application in clinical practice.

Introduction to Reference Ranges in Clinical Chemistry

Reference ranges, also known as reference intervals, are the set of values used by healthcare professionals to interpret laboratory test results. They represent the range of values expected in a healthy population and serve as a benchmark for identifying abnormality or pathology.

Definition of Reference Range

A reference range is a statistical interval derived from test results of a healthy population, typically encompassing the central 95% of values. It provides the limits within which 95% of healthy individuals' test results are expected to fall.

Significance of Reference Ranges

- Diagnostic Tool: Helps determine if a patient's test result indicates health or disease.
- Monitoring Disease Progression: Tracks changes in specific analytes over time.
- Guiding Treatment Decisions: Assists in adjusting therapies based on biochemical parameters.
- Assessing Laboratory Performance: Ensures test accuracy and reliability.

Factors Influencing Reference Ranges

Multiple factors can influence the establishment and interpretation of reference ranges, including:

Biological Factors

- Age
- Sex
- Ethnicity
- Diet and nutritional status
- Physiological states (e.g., pregnancy, puberty)

Analytical Factors

- Methodology and instrumentation
- Reagent quality
- Calibration procedures

Pre-analytical Factors

- Sample collection techniques
- Timing of sample collection
- Sample handling and storage

Environmental Factors

- Altitude
- Geographic location
- Climate

Methods for Establishing Reference Ranges

Creating accurate and meaningful reference ranges involves systematic steps and statistical analysis.

Selection of Reference Population

- Should be healthy and representative of the intended patient population.
- Exclusion of individuals with known diseases or conditions affecting the analyte.
- Consideration of age, sex, ethnicity, and other relevant factors.

Sample Size Determination

- Larger sample sizes increase statistical power.
- Usually, a minimum of 120 individuals per subgroup (e.g., sex) is recommended, as per CLSI guidelines.

Sample Collection and Testing

- Standardized procedures to minimize variability.
- Use of calibrated and validated analytical methods.

Data Analysis and Calculation

- Use non-parametric methods for skewed data.
- Calculate the 2.5th and 97.5th percentiles for the reference interval.
- Determine confidence intervals for the reference limits.

Partitioning Data

- Separate reference ranges based on subgroups (e.g., male vs female, adults vs children) if statistically justified.

Validation of Reference Ranges

- Verify the established ranges in an independent healthy population.
- Continuous review and adjustment as needed.

Interpreting Reference Ranges in Clinical Practice

Proper interpretation of laboratory results requires understanding the context of reference ranges.

Normal Range

- Test results within the reference interval are generally considered normal.
- However, clinical correlation is essential, as some healthy individuals may have results outside the range.

Abnormal Results

- Values below the lower limit may indicate deficiency, impairment, or disease.
- Values above the upper limit may suggest excess, inflammation, or pathology.

Limitations of Reference Ranges

- Not absolute indicators of disease.
- Variability among laboratories and methods.
- The "gray zone" where results are borderline and require clinical judgment.

Using Reference Ranges Effectively

- Always interpret results alongside patient history, symptoms, and other diagnostic findings.
- Consider individual factors that may influence results, such as medications or physiological states.
- Use trend analysis over multiple measurements rather than single values.

Special Considerations in Establishing and Using Reference Ranges

Age and Developmental Changes

- Pediatric reference ranges differ significantly from adult ranges.
- Geriatric populations may also require specific intervals due to physiological changes.

Sex Differences

- Many analytes, such as hemoglobin and testosterone, vary between males and females.
- Separate reference ranges improve diagnostic accuracy.

Ethnicity and Genetic Factors

- Genetic variability can influence analyte levels.
- Ethnic-specific ranges enhance relevance and precision.

Disease and Physiological Conditions

- Conditions like pregnancy, menopause, or chronic illnesses can alter analyte levels, necessitating specialized reference ranges.

Quality Control and Maintenance of Reference Ranges

Maintaining accurate reference ranges involves ongoing quality assurance measures.

Regular Review and Updating

- Reassess reference ranges periodically, especially when methods or populations change.
- Incorporate new scientific evidence and guidelines.

Quality Control in Laboratory Testing

- Use control samples to monitor assay performance.
- Ensure calibration and maintenance of instruments.

Documentation and Standardization

- Keep detailed records of procedures, populations, and statistical analyses.
- Follow international standards such as CLSI (Clinical and Laboratory Standards Institute) guidelines.

Conclusion

A well-constructed manual on reference ranges for clinical chemistry is essential for accurate diagnosis, treatment, and research. Understanding the principles of establishing, interpreting, and maintaining reference ranges ensures reliable laboratory testing and optimal patient care. By considering biological, analytical, and environmental factors, and adhering to standardized methods, healthcare professionals can make informed decisions based on laboratory data. Continuous review and quality control uphold the integrity of reference intervals, ultimately enhancing clinical outcomes.

Keywords: reference ranges, clinical chemistry, reference intervals, laboratory testing, diagnostic accuracy, population selection, reference range establishment, interpretation, quality control, clinical practice

Manual on Reference Ranges for Clinical Chemistry: A Comprehensive Guide for Healthcare Professionals

In the realm of clinical chemistry, understanding reference ranges is essential for accurate interpretation of laboratory test results. These ranges serve as vital benchmarks, guiding clinicians in diagnosing, monitoring, and managing a myriad of health conditions. A well-informed grasp of how reference ranges are established, interpreted, and applied can significantly influence patient outcomes. This manual aims to provide a detailed overview of reference ranges for clinical chemistry, including their significance, methods of determination, influencing factors, and practical application in clinical practice.

What Are Reference Ranges in Clinical Chemistry?

Reference ranges (also known as normal ranges) are the set of values within which a particular laboratory test result is considered typical for a healthy population. They are usually expressed as a range?say, 70?110 mg/dL for fasting blood glucose?indicating that most healthy individuals will fall within these limits.

Importance of Reference Ranges

- Diagnostic Tool: Helps distinguish between healthy and diseased states.
- Monitoring Disease Progression: Tracks changes over time to assess treatment efficacy.
- Identifying Abnormalities: Detects deviations that may indicate underlying pathology.

Limitations of Reference Ranges

- Population Variability: Different populations may have different normal ranges.
- Biological Variability: Factors such as age, sex, diet, and circadian rhythms influence results.
- Analytical Variability: Differences in lab methods and equipment can affect results.

How Are Reference Ranges Determined?

Establishing accurate reference ranges is a meticulous process involving statistical and clinical considerations.

Steps in Establishing Reference Ranges

- Selection of a Reference Population
- Healthy individuals with no known disease affecting the analyte.

- Often includes considerations for age, sex, ethnicity, and other demographic factors.
- Sample Collection and Testing
 - Standardized procedures to minimize pre-analytical variability.
 - Collection, handling, and storage protocols strictly followed.
- Data Analysis
 - Statistical methods used to determine the central 95% of the distribution.
 - Typically, the 2.5th and 97.5th percentiles define the lower and upper limits.
- Validation
 - Reproducibility and reliability of the established range are verified.
 - Periodic updates to account for population changes or methodological improvements.

Statistical Methods

- Parametric Methods: Assume data follows a normal distribution; mean $\pm$ 2 standard deviations.
- Non-Parametric Methods: Used when data is skewed; directly use percentiles.

Factors Influencing Reference Ranges

Multiple factors can influence what is considered "normal" for an individual:

Biological Factors

- Age: Normal ranges can vary across different age groups; for example, infants often have different reference values than adults.
- Sex: Males and females may have different reference ranges for certain analytes like hemoglobin or testosterone.
- Pregnancy: Physiological changes during pregnancy alter many biochemical parameters.

- Genetic Factors: Ethnic and genetic background can influence baseline levels.

Lifestyle and Environmental Factors

- Diet: Nutritional intake affects analytes such as glucose, lipids, and vitamins.
- Physical Activity: Exercise can transiently alter certain blood parameters.
- Altitude: Higher altitudes may influence hemoglobin and hematocrit levels.

Analytical Factors

- Laboratory Methods: Different assays and equipment can yield slightly different results.
- Sample Handling: Delays in processing or improper storage can affect analyte stability.
- Calibration and Quality Control: Regular calibration ensures accuracy.

Typical Reference Ranges for Common Clinical Chemistry Tests

Below are examples of widely used tests and their typical reference ranges, noting that values can vary among laboratories:

Blood Glucose

- Fasting: 70-110 mg/dL
- Postprandial (2 hours):

Serum Sodium

- 135-145 mmol/L

Serum Potassium

- 3.5-5.0 mmol/L

Serum Creatinine

- Men: 0.6-1.2 mg/dL

- Women: 0.5-1.1 mg/dL

Blood Urea Nitrogen (BUN)

- 7-20 mg/dL

Serum Total Protein

- 6.0-8.3 g/dL

Serum Albumin

- 3.5-5.0 g/dL

Serum Total Cholesterol

-

Triglycerides

-

Liver Enzymes (ALT, AST)

- ALT: 7-56 units/L
- AST: 10-40 units/L

Practical Application of Reference Ranges in Clinical Practice

Proper interpretation of laboratory results involves considering the reference range in context:

- Comparing Results to Ranges

- Values within the reference range are generally considered normal.
- Values outside the range may indicate pathology but should be interpreted alongside clinical findings.

- Considering Biological and Analytical Variability

- Slight deviations may not be clinically significant.
- Repeated testing or additional investigations might be necessary for borderline results.

- Adjusting for Demographics

- Use age- and sex-specific reference ranges when available.
- Recognize physiological changes during pregnancy or aging.

- Recognizing Limitations

- A "normal" result does not always exclude disease.
- Abnormal results should prompt further assessment, not immediate diagnosis.

Challenges and Future Directions in Reference Range Establishment

Challenges

- Population Diversity: Need for population-specific ranges to improve accuracy.
- Method Standardization: Variability among laboratories complicates comparison.
- Dynamic Nature of Norms: Changes in population health and lifestyle influence baseline values.

Future Directions

- Personalized Reference Ranges: Incorporating individual factors like genetics, lifestyle, and comorbidities.
- Use of Big Data: Leveraging large datasets to refine and validate reference ranges.
- Standardization Initiatives: International efforts to harmonize laboratory methods.

Conclusion

A comprehensive understanding of reference ranges for clinical chemistry is fundamental for effective patient care. These ranges act as diagnostic benchmarks, guiding clinicians in identifying abnormalities and making informed decisions. Establishing accurate, population-specific, and methodologically sound reference ranges enhances diagnostic precision. As laboratory science advances and data collection becomes more sophisticated, the future holds promise for personalized and more reliable reference standards, ultimately improving patient outcomes across diverse populations.

Remember: Always interpret laboratory results in conjunction with clinical findings and consider the context of each individual patient. When in doubt, consult with laboratory specialists or clinical pathologists to ensure accurate interpretation and optimal patient management.

Question What is the purpose of a manual on reference ranges for clinical chemistry? A manual on reference ranges provides standardized values for various clinical chemistry tests, helping clinicians interpret laboratory results accurately and assess patient health status. **Answer** How are reference ranges for clinical chemistry tests established? Reference ranges are established by analyzing test results from a healthy population, calculating the central 95% interval, and considering factors such as age, sex, and ethnicity to ensure accuracy and relevance. Why is it important to use population-specific reference ranges in clinical chemistry? Population-specific reference ranges account for variations due to ethnicity, age, and sex, ensuring more precise interpretation of test results and reducing the risk of misdiagnosis. What are common challenges in maintaining accurate reference ranges in clinical chemistry manuals? Challenges include variability in laboratory methods, demographic differences among populations, changes in analytical techniques, and ensuring updated, validated data to reflect current clinical practices. How often should reference ranges be reviewed and updated in a clinical chemistry manual? Reference ranges should be reviewed periodically, typically every 1-2 years, or whenever there are significant changes in testing methods, population data, or clinical guidelines to ensure continued accuracy. What role does quality control play in the development of reference ranges in clinical chemistry? Quality control ensures the reliability and accuracy of laboratory tests, which is essential for establishing valid reference ranges and maintaining consistent clinical interpretation.

Related keywords: clinical chemistry, reference intervals, laboratory standards, biochemical analysis, diagnostic reference values, laboratory guidelines, hematology reference ranges, clinical laboratory protocols, analyte reference limits, laboratory quality assurance

Excel master excel management of the name box and

Excel master Excel management of the Name Box and is an essential skill for anyone looking to enhance their productivity and efficiency in spreadsheet management. The Name Box in Excel is a powerful feature that allows users to easily navigate, name, and manage specific cells, ranges, or objects within a workbook. Mastering its functions can significantly streamline your workflow, improve accuracy, and make complex data analysis more manageable. In this comprehensive guide, we'll explore the ins and outs of the Name Box, how to utilize it effectively, and tips to become an Excel pro in managing named ranges and navigation.

Understanding the Excel Name Box: The Basics

What Is the Name Box?

The Name Box is a small input field located to the left of the formula bar in Excel. It displays the address of the currently selected cell or range and allows users to assign names to specific cells or ranges. This dual purpose makes it a central tool for navigation and range management.

Importance of the Name Box

Using the Name Box effectively offers several advantages:

- Quick navigation to specific cells or ranges
- Easy referencing for formulas and functions
- Organization of complex spreadsheets through named ranges
- Improved readability and clarity in formulas

How to Use the Name Box for Navigation

Jumping to a Specific Cell or Range

One of the simplest yet most powerful features of the Name Box is jumping directly to a cell or range:

- Click on the Name Box.
- Type the cell reference or range (e.g., A1, B2:D10).
- Press Enter.

This instantly navigates your cursor to the specified location, saving time scrolling through large datasets.

Using Named Ranges for Navigation

Once you've created named ranges, the Name Box can be used to quickly jump to them:

- Click on the Name Box.
- Type the name of the range (e.g., SalesData, EmployeeIDs).
- Press Enter.

This method simplifies navigation, especially in complex workbooks with multiple data segments.

Creating and Managing Named Ranges

How to Create a Named Range

Creating named ranges is a fundamental skill in managing large datasets:

- Select the cell or range you wish to name.
- Click on the Name Box.
- Type a descriptive name (no spaces, use underscores if necessary).
- Press Enter.

Alternatively, you can use the Ribbon:

- Go to the "Formulas" tab.
- Click "Define Name" in the Defined Names group.
- Fill in the Name, Scope, and Refers to fields.
- Click OK.

Editing and Deleting Named Ranges

Managing named ranges ensures your workbook stays organized:

- Navigate to the "Name Manager" via the "Formulas" tab > "Name Manager".
- Select the range you want to edit or delete.
- Use the options to modify the name or delete it.

Best Practices for Naming Ranges

To maximize clarity:

- Use meaningful, descriptive names.
- Avoid spaces; use underscores or CamelCase (e.g., Sales_Data).
- Keep names concise but informative.
- Maintain consistency across your workbook.

Using Named Ranges in Formulas

Advantages of Named Ranges in Formulas

Named ranges make formulas more readable and easier to manage:

- Reduce errors by avoiding hard-coded cell references.
- Facilitate updates; changing the range updates all formulas referencing it.
- Enhance understanding for others reviewing your work.

Examples of Using Named Ranges

Suppose you have a named range called "SalesData" that refers to B2:B100:

- Sum of sales: =SUM(SalesData)
- Average sales: =AVERAGE(SalesData)

This is more intuitive than referencing specific cell ranges.

Advanced Tips for Mastering the Name Box

Creating Dynamic Named Ranges

Dynamic ranges automatically adjust as data expands:

- Use formulas like OFFSET or INDEX in the "Refers to" field in Name Manager.
- Example: =OFFSET(Sheet1!\$A\$1,0,0,COUNTA(Sheet1!\$A:\$A),1) creates a range that expands with data.

Using the Name Box for Data Validation

You can assign named ranges to data validation lists:

- Select the cell(s) for validation.
- Go to Data > Data Validation.
- Choose "List" and in the Source box, type the named range preceded by an equals sign (e.g., =SalesData).

Managing Multiple Names and Conflicts

In large workbooks, conflicts may arise:

- Always check the Name Manager for duplicate or conflicting names.
- Use unique, descriptive names to prevent confusion.

Keyboard Shortcuts and Tips for Efficiency

Enhance your productivity with these shortcuts:

- **Ctrl + G** or **F5**: Opens the "Go To" dialog, which can navigate to named ranges or cell addresses.
- **Ctrl + F3**: Opens the Name Manager for quick management of named ranges.
- Type the name directly into the Name Box and press Enter for instant navigation.

Conclusion: Becoming an Excel Management Master

Mastering Excel management of the Name Box and named ranges is a game-changer for anyone working with data. It transforms how you navigate, organize, and analyze information within your workbooks. By creating meaningful names, managing ranges effectively, and leveraging these tools in formulas and data validation, you can optimize your workflow, reduce errors, and create more understandable spreadsheets. Practice these techniques consistently, and you'll elevate your Excel skills from basic to masterful, making your data handling more efficient and professional.

Remember, the key to mastery lies in organization, clarity, and leveraging the full power of Excel's features. Incorporate these strategies into your routine, and soon you'll find managing complex spreadsheets becomes second nature.

Mastering Excel Management of the Name Box: A Comprehensive Guide

In the vast world of Microsoft Excel, efficiency and precision often hinge on understanding and leveraging its core features. One such feature that many users overlook or underutilize is the Excel master management of the Name Box. This small yet powerful tool serves as a gateway to streamlined navigation, dynamic referencing, and improved formula management. Whether you're a seasoned Excel professional or a casual user aiming to elevate your spreadsheet skills, mastering the Name Box can significantly enhance your productivity and accuracy.

What is the Name Box in Excel?

The Name Box is a small, often overlooked component located to the left of the formula bar in Excel. It displays the address of the currently selected cell or range and can also be used to create, edit, and navigate named ranges.

Key functions of the Name Box include:

- Displaying the active cell or range address.
- Allowing users to quickly jump to specific cells or ranges by typing addresses.
- Creating and managing named ranges for more intuitive referencing.
- Using named ranges in formulas for clarity and efficiency.

Understanding how to manage and utilize the Name Box effectively is fundamental to mastering Excel's advanced features.

Why Is Managing the Name Box Important?

Efficient management of the Name Box unlocks several benefits:

- Enhanced Navigation: Easily jump to distant or complex ranges without scrolling.
- Improved Formula Clarity: Use named ranges instead of cell references for easier understanding and troubleshooting.
- Dynamic Data Management: Create named ranges that automatically adjust with your data.
- Reduction of Errors: Minimize referencing mistakes in formulas and data analysis.

With these advantages, it's clear that mastering the Name Box is a crucial step toward becoming an Excel power user.

How to Use the Name Box Effectively

- Navigating Using the Name Box

One of the primary uses of the Name Box is navigation. Instead of scrolling through large spreadsheets, you can quickly jump to a specific cell or range.

Steps:

- Click on the Name Box.
- Type the cell address or range (e.g., `A1`, `D10:F20`, or `Sheet2!A1`).
- Press `Enter`, and Excel will immediately move to that location.

Tips:

- Use this to navigate to data sheets or specific sections rapidly.
- Combine with keyboard shortcuts (e.g., `Ctrl + G`) to enhance navigation speed.

- Creating and Managing Named Ranges

Named ranges provide meaningful labels to cell references, making formulas easier to read and manage.

Creating a Named Range:

- Select the cell or range you wish to name.
- Click into the Name Box.
- Type a descriptive name (e.g., `SalesData`, `ProfitMargin`).
- Press `Enter`.

Managing Named Ranges:

- Go to the Formulas tab.
- Click on Name Manager.
- Here, you can edit, delete, or create new named ranges.

- Using Named Ranges in Formulas

Once you've created named ranges, incorporate them into formulas for clarity.

Example:

Instead of writing `=SUM(B2:B10)`, if you've named `B2:B10` as `SalesData`, your formula becomes:

```
=SUM(SalesData)
```

This approach simplifies understanding complex formulas and reduces errors when editing data.

- Editing the Name Box for Dynamic Ranges

Dynamic ranges automatically update based on data changes.

Creating a Dynamic Named Range:

- Use formulas like `OFFSET` or `INDEX` within the Name Manager.

Example:

```
```excel
```

```
=OFFSET(Sheet1!A1, 0, 0, COUNTA(Sheet1!$A:$A), 1)
```

```
```
```

This defines a range starting at `A1` that expands as data in column A grows.

- Deleting or Renaming Ranges

To keep your workbook organized:

- Access Name Manager.
- Select the range to modify.
- Choose to delete or rename as necessary.

Advanced Management Techniques

- Using the Name Box for Data Validation

Named ranges can serve as source lists for drop-down menus, enhancing data validation.

Steps:

- Create a named range with your list items.
- Select the cell(s) where you want the drop-down.
- Go to Data > Data Validation.
- Choose List.
- In the Source box, type the named range (e.g., `=SalesCategories`).

- Creating Hyperlinks with the Name Box

You can create clickable links to specific ranges within your workbook:

- Select a cell.
- Type `=HYPERLINK("RangeName", "Go to Range")`.
- Clicking the link navigates to the named range.

- Managing Multiple Named Ranges Efficiently

- Use the Name Manager to filter and organize your named ranges.
- Employ naming conventions for better clarity (e.g., prefix with sheet names or data types).

Best Practices for Excel Mastery of the Name Box

To maximize your efficiency:

- Consistent Naming Conventions: Use clear, descriptive names that reflect the purpose.
- Avoid Overusing Named Ranges: Use them where they add clarity, but don't overcomplicate simple formulas.

- Regularly Clean Up: Remove unused or obsolete named ranges to maintain workbook performance.
- Leverage Dynamic Ranges: Automate updates as your data changes to save time.
- Document Your Names: Keep a list or sheet documenting all named ranges for future reference.

Troubleshooting Common Issues

- Named Range Not Updating
 - Ensure the range is defined with a dynamic formula if data expands.
 - Check for broken references or deleted cells.
- Conflicts with Names
 - Avoid using reserved words or duplicate names.
 - Use unique and descriptive names to prevent confusion.
- Navigational Errors
 - Confirm the correct syntax (especially with sheet references).
 - Use the Name Manager to verify the assigned ranges.

Conclusion

Mastering the Excel management of the Name Box transforms a simple navigation and naming tool into a powerhouse for efficient spreadsheet management. From quick navigation to dynamic data referencing, the strategic use of named ranges and the Name Box enhances clarity, reduces errors, and boosts productivity. By implementing best practices, leveraging advanced techniques, and maintaining organized named ranges, you position yourself as an Excel expert capable of handling complex data with confidence and ease.

Remember, the key to mastery lies in consistent application and continuous learning. Start integrating these techniques today, and watch your spreadsheet management skills reach new heights.

Question What is the Name Box in Excel and how is it used? The Name Box in Excel is a small text box located to the left of the formula bar that displays the address of the selected cell or range. It can also be used to name cells or ranges for easier navigation and management. How can I create and assign a name to a cell or range using the Name Box? Select the cell or range you want to name, click in the Name Box, type your desired name (without spaces), and press Enter. This names the selected cell or range for quick reference. What are the benefits of using named ranges in Excel? Named ranges improve formula readability, simplify navigation, reduce errors, and make complex spreadsheets easier to manage and understand. How do I manage or edit existing names in the Name Manager? Go to the Formulas tab, click on 'Name Manager,' select the name you want to edit, and then modify its details or delete it as needed. Can I delete a named range from the Name Box directly? No, to delete a named range, you must open the Name Manager, select the name, and click 'Delete.' The Name Box only allows creating or selecting names, not deleting them directly. What are common mistakes to avoid when managing names via the Name Box? Avoid using spaces or special characters in names, ensure names are unique, and be cautious not to overwrite existing names. Also, remember that names are case-insensitive. How can I quickly navigate to a named range using the Name Box? Click the drop-down arrow in the Name Box and select the desired named range from the list, or type its name directly into the box and press Enter. Is it possible to create dynamic named ranges using the Name Box? Creating dynamic named ranges requires defining formulas in the Name Manager, not directly through the Name Box. You can use formulas like OFFSET or INDEX in the Name Manager for dynamic ranges. How does managing the Name Box improve overall Excel spreadsheet management? Effective management of the Name Box and named ranges streamlines navigation, enhances formula clarity, reduces errors, and makes updating and maintaining complex workbooks more efficient.

Related keywords: Excel, Master Excel, Excel management, Name box, Excel tips, Excel shortcuts, spreadsheet management, Excel tutorials, Excel tricks, data organization

Read the full article online: [EXCEL MASTER EXCEL MANAGEMENT OF THE NAME BOX AND](#)